

DOI: 10.21538/0134-4889-2016-22-3-12-22

MSC: 20D06, 20D08, 20E28

**FINITE SIMPLE GROUPS IN WHICH ALL MAXIMAL SUBGROUPS  
ARE  $\pi$ -CLOSED. II**

Received Dezember 15, 2015

**V. A. Belonogov**

We continue the study of pairs  $(G, \pi)$ , where  $G$  is a finite simple nonabelian group and  $\pi$  a set of primes, such that  $G$  has only  $\pi$ -closed maximal subgroups but is not  $\pi$ -closed itself. Using the results of the first paper from the series, we give a list of such pairs  $(G, \pi)$  in the case when  $G$  is different from the groups  $PSL_r(q)$  and  $PSU_r(q)$  with prime odd  $r$  and  $E_8(q)$ , where  $q$  is a prime power.

Keywords: finite group, simple group,  $\pi$ -closed group, maximal subgroup.

*V. A. Belonogov*, Dr. Phys.-Math. Sci., Prof, Krasovskii Institute of Mathematics and Mechanics, Ural Branch of the Russian Academy of Sciences, Yekaterinburg, 620990 Russia, e-mail: belonogov@imm.uran.ru .

Cite this article as:

V. A. Belonogov, Finite simple groups in which all maximal subgroups are  $\pi$ -closed , *Trudy Inst. Mat. Mekh. UrO RAN*, 2016, vol. 22, no. 3, pp. 12–22 .