

**AUTOMORPHISMS OF A DISTANCE-REGULAR GRAPH
WITH INTERSECTION ARRAY $\{30,22,9;1,3,20\}$**

K. S. Efimov, A. A. Makhnev

A distance-regular graph Γ of diameter 3 is called a Shilla graph if it has the second eigenvalue $\theta_1 = a_3$. In this case $a = a_3$ divides k and we set $b = b(\Gamma) = k/a$. Koolen and Park obtained the list of intersection arrays for Shilla graphs with $b = 3$. There exist graphs with intersection arrays $\{12, 10, 5; 1, 1, 8\}$ and $\{12, 10, 3; 1, 3, 8\}$. The nonexistence of graphs with intersection arrays $\{12, 10, 2; 1, 2, 8\}$, $\{27, 20, 10; 1, 2, 18\}$, $\{42, 30, 12; 1, 6, 28\}$, and $\{105, 72, 24; 1, 12, 70\}$ was proved earlier. In this paper we study the automorphisms of a distance-regular graph Γ with intersection array $\{30, 22, 9; 1, 3, 20\}$, which is a Shilla graph with $b = 3$. Assume that a is a vertex of Γ , $G = \text{Aut}(\Gamma)$ is a nonsolvable group, $\bar{G} = G/S(G)$, and \bar{T} is the socle of \bar{G} . Then $\bar{T} \cong L_2(7), A_7, A_8$, or $U_3(5)$. If Γ is arc-transitive, then T is an extension of an irreducible $F_2U_3(5)$ -module V by $U_3(5)$ and the dimension of V over F_3 is 20, 28, 56, 104, or 288.

Keywords: Shilla graph, graph automorphism.

MSC: 05C25

DOI: 10.21538/0134-4889-2020-26-3-23-31

REFERENCES

1. Brouwer A.E., Cohen A.M., Neumaier A. *Distance-regular graphs*. Berlin; Heidelberg; N Y: Springer-Verlag, 1989. 495 p. ISBN: 0387506195.
2. Koolen J.H., Park J. Shilla distance-regular graphs. *Europ. J. Comb.*, 2010, vol. 31, no. 8, pp. 2064–2073. doi: 10.1016/j.ejc.2010.05.012.
3. Brouwer A.E., Sumaloj S., Worawannotai C. The nonexistence of distance-regular graphs with intersection arrays $\{27, 20, 10; 1, 2, 18\}$ and $\{36, 28, 4; 1, 2, 24\}$. *Australasian J. Comb.*, 2016, vol. 66, no. 2, pp. 330–332.
4. Belousov I.N., Makhnev A.A. Distance-regular graphs with intersection arrays $\{42, 30, 12; 1, 6, 28\}$ and $\{60, 45, 8; 1, 12, 50\}$ do not exist. *Sib. Elektron. Mat. Izv.*, 2018, vol. 15, pp. 1506–1512 (in Russian). doi: 10.33048/semi.2018.15.125.
5. Belousov I.N., Makhnev A.A. Distance-regular graph with intersection arrays $\{105, 72, 24; 1, 12, 70\}$ does not exist. *Sib. Elektron. Mat. Izv.*, 2019, vol. 16, pp. 206–216 (in Russian). doi: 10.33048/semi.2019.16.012.
6. Cameron P. *Permutation Groups*. Cambridge: Cambridge Univ. Press, 1999, 220 p. ISBN: 0-521-65302-9.
7. Zavarnitsine A.V. Finite simple groups with narrow prime spectrum. *Sib. Elektron. Mat. Izv.*, 2009, vol. 6, pp. 1–12.
8. Conway J.H., Curtis R.T., Norton S.P., Parker R.A., Wilson R.A. *Atlas of finite groups*. Oxford: Clarendon Press, 1985, 252 p. ISBN: 0198531990.

Received March 2, 2020

Revised May 26, 2020

Accepted June 15, 2020

Funding Agency: This work was supported by the Russian Foundation for Basic Research – the National Natural Science Foundation of China (project no. 20-51-53013_a).

Konstantin Sergeevich Efimov, Cand. Sci. (Phys.-Math.), Ural State University of Economics, Yekaterinburg, 620144 Russia, e-mail: konstantin.s.efimov@gmail.com.

Aleksandr Alekseevich Makhnev, Dr. Phys.-Math. Sci., RAS Corresponding Member, Prof., Krasovskii Institute of Mathematics and Mechanics of the Ural Branch of the Russian Academy of Sciences, Yekaterinburg, 620108 Russia; Ural Federal University, Yekaterinburg, 620083 Russia, e-mail: makhnev@imm.uran.ru .

K. S. Efimov, A. A. Makhnev. Automorphisms of a distance-regular graph with intersection array $\{30,22,9;1,3,20\}$, *Trudy Instituta Matematiki i Mekhaniki URO RAN*, 2020, vol. 26, no. 3, pp. 23–31 .