

MSC: 42B05, 42B08

DOI: 10.21538/0134-4889-2022-28-4-121-127

ON THE PRINGSHEIM CONVERGENCE OF A SUBSEQUENCE OF PARTIAL SUMS OF A FOURIER TRIGONOMETRIC SERIES

S. V. Konyagin

As follows from A. N. Kolmogorov's famous theorem (1925), partial sums of any integrable function f converge to f in measure. Therefore, if a subsequence of partial sums has a limit on a set of positive measure, then this subsequence can converge on this set to f only. Meantime, R. D. Getsadze (1986) showed that in a space of dimension greater than 1 the cubic partial sums of an integrable function may diverge in measure. In the author's paper (1989), it was shown that one can choose a function in such a way that any subsequence of the cubic partial sums is unbounded almost everywhere. The following question remained open: is it true that if a subsequence of the cubic partial sums converges on a set of positive measure, then the limit coincides with the original function almost everywhere on this set? We give an affirmative answer to this question, moreover, not only for the cubic partial sums, but for Pringsheim's sums as well. The corresponding question for the spherical sums is still open. Subsequences of partial sums are connected with universal trigonometric series. We say that a d -dimensional trigonometric series is universal if, for any measurable d -dimensional function f that is 2π -periodic in each variable, there is a subsequence of partial sums of this series converging to f almost everywhere. This definition depends on the choice of the class of partial sums of the trigonometric series. As follows from M. G. Grigoryan's recent result (2022), for any d there is a d -dimensional trigonometric series that is universal both for Pringsheim's sums and for the spherical sums. Due to the main result of the present paper, a Fourier series cannot be universal for Pringsheim's sums.

Keywords: measurable functions, integrable functions, trigonometric Fourier series, Pringsheim convergence, subsequence of partial sums, almost everywhere convergence, Bernstein's summation method for Fourier series.

REFERENCES

1. Kolmogoroff A. Sur les fonctions harmoniques conjuguées et les séries de Fourier. *Fund. Math.*, 1925, vol. 7, pp. 24–29. doi: 10.4064/fm-7-1-24-29.
2. Getsadze R.D. On the divergence in measure of multiple Fourier series. *Soobshch. Akad. Nauk Gruz. SSR*, 1986, vol. 122, no. 2, pp. 269–271 (in Russian).
3. Menchoff D. On partial sums of trigonometric series. *Rec. Math. [Mat. Sbornik] N.S.*, 1947, vol. 20, no. 2, pp. 197–238 (in Russian).
4. Konyagin S.V. On the divergence of the sequence of the partial sums of multiple trigonometric Fourier series. *Proc. Steklov Inst. Math.*, 1992, vol. 190, pp. 107–121.
5. Grigoryan M.G. The almost everywhere convergence of universal double Fourier series. *Trudy Inst. Mat. Mekh. UrO RAN*, 2022, vol. 28, no. 4, pp. 91–102 (in Russian). doi: 10.21538/0134-4889-2022-28-4-91-102.
6. Bernstein S. Sur un procédé de sommation des séries trigonométriques. *C. R. Acad. Sci., Paris*, 1930, vol. 191, pp. 976–979.
7. Bernstein S.N. On one method of summation of trigonometric series. In: *Sobranie sochinenii. T. 1. Konstruktivnaya teoriya funktsii* [Collected Works: Vol. I, Constructive theory of functions] (1905–1930). Moscow: Akad. Nauk SSSR Publ., 1952, pp. 523–525 (in Russian).
8. Rogosinski W. Über die Abschnitte trigonometrischer Reihen. *Math. Ann.*, 1925, vol. 95, pp. 110–134.
9. Trigub R.M. Rogosinsky–Bernstein polynomial method of summation of trigonometric Fourier series. *Math. Notes*, 2022, vol. 111, no. 4, pp. 604–615. doi: 10.1134/S0001434622030294.

10. Kolmogorov A.N., Fomin S.V. *Elements of the theory of functions and functional analysis*, vol. 1, 2. Mineola; NY: Dover Publ., 1999, 288 p. ISBN: 0486406830. Original Russian text published in Kolmogorov A.N., Fomin S.V. *Elementy teorii funktsii i funktsional'nogo analiza*, Moscow: Nauka Publ., 1972, 496 p.
11. Wiener N. *The Fourier integral and certain of its applications*. Cambridge: Cambridge Univ. Press, 1988, 201 p. doi: 10.1017/CBO9780511662492. Translated to Russian under the title *Integral Fur'e i nekotorye ego prilozheniya*. Moscow: Fizmatgiz Publ., 1963, 256 p.

Received June 10, 2022

Revised June 24, 2022

Accepted June 27, 2022

Funding Agency: This research was conducted at Lomonosov Moscow State University with the support of the Russian Science Foundation (grant no. 22-11-00129).

Sergei Vladimirovich Konyagin, Dr. Phys.-Math. Sci., Prof., Moscow Lomonosov State University, Moscow, e-mail: konyagin@mi-ras.ru.

Cite this article as: S. V. Konyagin. On the Pringsheim convergence of a subsequence of partial sums of a Fourier trigonometric series. *Trudy Instituta Matematiki i Mekhaniki UrO RAN*, 2022, vol. 28, no. 4, pp. 121–127.