TRUDY INSTITUTA MATEMATIKI I MEKHANIKI UrO RAN

Vol. 28 No. 4 **2022**

MSC: 41A15

DOI: 10.21538/0134-4889-2022-28-4-237-249

On Yu. N. SUBBOTIN'S CIRCLE OF IDEAS IN THE PROBLEM OF LOCAL EXTREMAL INTERPOLATION ON THE SEMIAXIS

V. T. Shevaldin

V. T. Shevaldin. On Yu. N. Subbotin's circle of ideas in the problem of local extremal interpolation on the semiaxis.

On an arbitrary grid $\Delta = \{x_k\}_{k=0}^{\infty}$ of the half-line $[x_0; +\infty)$, we consider Yu. N. Subbotin's problem of extremal functional interpolation of numerical sequences $\{y_k\}_{k=0}^{\infty}$ such that their first terms $y_0, y_1, \ldots, y_{s-1}$ are given and the nth-order divided differences are bounded. It is required to find an n-times differentiable function f with the smallest norm of the nth-order derivative in the space L_∞ such that $f(x_k) = y_k$ $(k \in \mathbb{Z}_+)$. Subbotin formulated and studied this problem only for a uniform grid on the half-line $[0; +\infty)$. We prove the finiteness of the smallest norm for $s \geq n$ if the smallest step of the interpolation grid $\underline{h} = \inf\limits_k (x_{k+1} - x_k)$ is bounded away from zero and the largest step $\overline{h} = \sup\limits_k (h_{k+1} - h_k)$ is bounded away from infinity. In the case of the second derivative (i.e., for $n = 2$), the required value is calculated exactly for $s = 2$ and is estimated from above for $s \geq 3$ in terms of the grid steps.

Keywords: local interpolation, semiaxis, arbitrary grid, divided differences.

MSC: 41A15

DOI: 10.21538/0134-4889-2022-28-4-237-249

REFERENCES

1. Subbotin Yu.N. Some extremal problems of interpolation and interpolation in the mean. *East J. Approx.*, 1996, vol. 2, no. 2, pp. 155–167.
2. Subbotin Yu.N. On the connection between finite differences and corresponding derivatives. *Trudy Mat. Inst. Steklov.*, 1965, vol. 78, pp. 24–42 (in Russian).
3. Subbotin Yu.N., Novikov S.I., Shevaldin V.T. Extremal functional interpolation and splines. *Trudy Inst. Mat. Mekh. UrO RAN*, 2018, vol. 24, no. 3, pp. 200–225 (in Russian). doi: 10.21538/0134-4889-2018-24-3-200-225 .
4. Favard J. Sur I'interpolation. *J. Math. Pures Appl.*, 1940, vol. 19, no. 9, pp. 281–306.
5. Ryaben'kii V.S., Filippov A.F. *Ob ustoichivosti raznostnykh uravnenii* [On the stability of difference equations]. Moscow: Gostehizdat, 1956, 171 p.
6. Subbotin Yu.N., Chernykh N.I. Order of the best spline approximations of some classes of functions. *Math. Notes*, 1970, vol. 7, no. 1, pp. 20–26. doi: 10.1007/BF01093336 .
7. Muir Th. *The theory of determinants*. Vol. 1. N.-Y.: Preprinted in Dover Publication, 1960, 503 p.
8. Gautschi W. On inverses of Vandermonde and confluent Vandermonde matrices. *Numer. Math.*, 1962, vol. 4, no. 1, pp. 117–123. doi: 10.1007/BF01386302 .

Received February 17, 2022
Revised August 19, 2022
Accepted August 22, 2022

Valerii Trifonovich Shevaldin, Dr.Phys.-Math. Sci., Krasovskii Institute of Mathematics and Mechanics of the Ural Branch of the Russian Academy of Sciences, Yekaterinburg, 620108 Russia,

e-mail: Valerii.Shevaldin@imm.uran.ru .

Cite this article as: V. T. Shevaldin. On Yu. N. Subbotin's circle of ideas in the problem of local extremal interpolation on the semiaxis. *Trudy Instituta Matematiki i Mekhaniki UrO RAN*, 2022, vol. 28, no. 4, pp. 237–249 .